


WHAT IS CLAIMED IS:

- 1 (Canceled).
- 2 (Canceled).
- 3 (Canceled).
- 4 (Canceled).
- 5 (Canceled).
- 6 (Canceled).
- 7 (Currently Amended). A compound of Formula III



or a pharmaceutically acceptable salt or prodrug thereof, where

$L^1$  is selected from

~~(1) a covalent bond,~~

(21)  $-C(O)NR^5(CH_2)_m-$ , where  $m$  is an integer from 0 to 4, and

$R^5$  is selected from

(a) hydrogen

and

(b) alkyl,

and

(32)  $-N(R^5)C(O)(CH_2)_m-$ ,

where (21) and (32) are drawn with their left ends attached to  $R^1$ ;

$R^1$  is selected from

(1) alkyl,

(2) alkyl substituted with 1, 2, or 3 substituents selected from

(a)  $-NO_2$

(b)  $-NR^6R^7$  where  $R^6$  and  $R^7$  are independently selected from

- (i) hydrogen,
- (ii) alkyl,
- (iii) arylalkyl,
- (iv) an amino protecting group,
- (v) alkanoyl, where the alkanoyl can be optionally substituted with -OR<sup>9</sup>,
- (vi) (aryl)oyl,
- (vii) alkoxycarbonyl,
- and
- (viii) (heteroaryl)oyl,
- and
- (c) alkoxycarbonyl,
- (3) aryl substituted with 1, 2, 3, 4, or 5 substituents independently selected from
  - (a) -NR<sup>6</sup>R<sup>7</sup>,
  - (b) alkyl,
  - and
  - (c) alkyl substituted with 1, 2, or 3 substituents selected from -NR<sup>6</sup>R<sup>7</sup>,
- (4) -NR<sup>6</sup>R<sup>7</sup>,
- and
- (5) -OR<sup>9</sup>;

R<sup>2</sup> ~~and R<sup>3</sup> are~~ is selected from

~~(1) hydrogen~~

~~(2)~~ -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup> where n is an integer from 0 to 4, and

R<sup>8</sup> is selected from

(a) -OR<sup>9</sup> where R<sup>9</sup> is selected from

(i) hydrogen,

(ii) alkyl,

and

(iii) alkyl substituted with 1 or 2 substituents selected from the group  
consisting of aryl

and

(b) -NR<sup>5</sup>R<sup>10</sup> where R<sup>5</sup> is defined previously, and R<sup>10</sup> is selected from

(i) hydrogen,

(ii) alkyl,

(iii) alkyl substituted with 1, 2, or 3 substituents independently  
selected from

(1') -CO<sub>2</sub>R<sup>9</sup>

and

(2') -C(O)NR<sup>6</sup>R<sup>7</sup>

(iv) aryl, and

(v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents independently selected from

(1') alkyl,

(2') alkanoyl,

(3') -OR<sup>9</sup>,

(4') -CO<sub>2</sub>R<sup>9</sup>,

(5') alkanoyloxy,

(6') carboxaldehyde,

(7') cycloalkyl,

(8') cycloalkenyl,

(9') halo,

(10') nitro,

(11') perfluoroalkyl,

(12') perfluoroalkoxy,

(13') -NR<sup>6</sup>R<sup>7</sup>,

(14') -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,

(15') -C(O)NR<sup>6</sup>R<sup>7</sup>,

(16') aryloxy,

and

(17') aryl,

and

(32) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently selected from

(a) -NR<sup>6</sup>R<sup>7</sup>

and

(b) -CO<sub>2</sub>R<sup>9</sup> [,];

**R<sup>3</sup> is selected from**

**(1) hydrogen**

**(2) -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup> where n is an integer from 0 to 4, and**

**R<sup>8</sup> is selected from**

**(a) -OR<sup>9</sup> where R<sup>9</sup> is selected from**

(i) hydrogen,

(ii) alkyl,

and

(iii) alkyl substituted with 1 or 2 substituents selected from the group  
consisting of aryl

and

(b) -NR<sup>5</sup>R<sup>10</sup> where R<sup>5</sup> is defined previously, and R<sup>10</sup> is selected from

(i) hydrogen,

(ii) alkyl,

(iii) alkyl substituted with 1, 2, or 3 substituents independently  
selected from

(1') -CO<sub>2</sub>R<sup>9</sup>

and

(2') -C(O)NR<sup>6</sup>R<sup>7</sup>

(iv) aryl, and

(v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents  
independently selected from

(1') alkyl,

(2') alkanoyl,

(3') -OR<sup>9</sup>,

(4') -CO<sub>2</sub>R<sup>9</sup>,

(5') alkanoyloxy,

(6') carboxaldehyde,

(7') cycloalkyl,

(8') cycloalkenyl,

(9') halo,

(10') nitro,

(11') perfluoroalkyl,

(12') perfluoroalkoxy,

(13') -NR<sup>6</sup>R<sup>7</sup>,

(14') -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,

(15') -C(O)NR<sup>6</sup>R<sup>7</sup>,

(16') aryloxy,

and

(17') aryl,

and

(3) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently selected from

(a) -NR<sup>6</sup>R<sup>7</sup>

and

(b) -CO<sub>2</sub>R<sup>9</sup>; and

W is selected from

(a) alkyl,

(b) alkanoyl,

(c) -OR<sup>9</sup>,

(d) -CO<sub>2</sub>R<sup>9</sup>,

(e) alkanoyloxy,

(f) carboxaldehyde,

(g) cycloalkyl,

(h) cycloalkenyl,

(i) halo,

(j) nitro,

(k) perfluoroalkyl,

(l) perfluoroalkoxy,

(m) -NR<sup>6</sup>R<sup>7</sup>,

(n) -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,

(o) -C(O)NR<sup>6</sup>R<sup>7</sup>,

(p) aryloxy,

and

(q) aryl.

8 (Original). A compound according to claim 7 selected from the group consisting of

(S)-methyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-  
[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-  
(phenylmethoxy)phenyl]benzoate,

(S)-1,1-dimethylethyl 4-[[2-[[[(1,1-dimethylethoxy)carbonyl]amino]-6-  
[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[3-  
(phenylmethoxy)phenyl]benzoate,

(R)-methyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-  
oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,

(S)-methyl 4-[[2-amino-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,

(S)-methyl 4-[[2-(acetylamino)-6-[[[(phenylmethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-[(3-(phenylmethoxy)phenyl] benzoate,

(S)-1,1-dimethylethyl 4-[[6-amino-2-[[[(1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,

(S)-methyl 4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoate,

(S)-4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoic acid,

(S)-N-[4-[[2-(acetylamino)-6-amino-1-oxohexyl]amino]-2-(3-hydroxyphenyl)benzoyl]-L- $\alpha$ -asparagine,

*tert*-butyl (3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoate,

5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-2,6-diaminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,

5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-6-amino-2-((2,2-dimethylpropanoyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,

5-(((2S)-6-amino-2-(benzoylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-6-amino-2-((methoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

methyl 5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylate,

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-((3-pyridinylcarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,


5-((6-aminohexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid,

5-(((2S)-5-amino-2-((*tert*-butoxycarbonyl)amino)pentanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid, and

5-(((2S)-2-((*tert*-butoxycarbonyl)amino)-6-(methylamino)hexanoyl)amino)-3'-hydroxy(1,1'-biphenyl)-2-carboxylic acid.

9 (Currently Amended). A compound ~~according to claim 7~~ of Formula IV



or a pharmaceutically acceptable salt or prodrug thereof, where

L<sup>1</sup> is selected from

(1) -C(O)NR<sup>5</sup>(CH<sub>2</sub>)<sub>m</sub>, where m is an integer from 0 to 4, and

R<sup>5</sup> is selected from

(a) hydrogen

and

(b) alkyl,

and

(2) -N(R<sup>5</sup>)C(O)(CH<sub>2</sub>)<sub>m</sub>,

where (2) and (3) are drawn with their left ends attached to R<sup>1</sup>;

R<sup>1</sup> is selected from

(1) alkyl,

(2) alkyl substituted with 1, 2, or 3 substituents selected from

(a) -NO<sub>2</sub>

(b) -NR<sup>6</sup>R<sup>7</sup> where R<sup>6</sup> and R<sup>7</sup> are independently selected from

(i) hydrogen,

(ii) alkyl,

(iii) arylalkyl,

(iv) an amino protecting group,

(v) alkanoyl, where the alkanoyl can be optionally substituted with -OR<sup>9</sup>,

(vi) (aryl)oyl,

(vii) alkoxycarbonyl,

and

(viii) (heteroaryl)oyl,

and

(c) alkoxycarbonyl,

(3) aryl substituted with 1, 2, 3, 4, or 5 substituents independently selected from

(a)-NR<sup>6</sup>R<sup>7</sup>,

(b) alkyl,

and

(c) alkyl substituted with 1, 2, or 3 substituents selected from -NR<sup>6</sup>R<sup>7</sup>,

(4) -NR<sup>6</sup>R<sup>7</sup>,

and

(5) -OR<sup>9</sup>;

R<sup>2</sup> is selected from

(1) -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup> where n is an integer from 0 to 4, and

R<sup>8</sup> is selected from

(a) -OR<sup>9</sup> where R<sup>9</sup> is selected from

(i) hydrogen,

(ii) alkyl,

and

(iii) alkyl substituted with 1 or 2 substituents selected from the group  
consisting of aryl

and

(b) -NR<sup>5</sup>R<sup>10</sup> where R<sup>5</sup> is defined previously, and R<sup>10</sup> is selected from

(i) hydrogen,

(ii) alkyl,

(iii) alkyl substituted with 1, 2, or 3 substituents independently  
selected from

(1') -CO<sub>2</sub>R<sup>9</sup>

and

(2') -C(O)NR<sup>6</sup>R<sup>7</sup>

(iv) aryl, and

(v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents  
independently selected from

(1') alkyl,



(2') alkanoyl,  
(3') -OR<sup>9</sup>,  
(4') -CO<sub>2</sub>R<sup>9</sup>,  
(5') alkanoyloxy,  
(6') carboxaldehyde,  
(7') cycloalkyl,  
(8') cycloalkenyl,  
(9') halo,  
(10') nitro,  
(11') perfluoroalkyl,  
(12') perfluoroalkoxy,  
(13') -NR<sup>6</sup>R<sup>7</sup>,  
(14') -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,  
(15') -C(O)NR<sup>6</sup>R<sup>7</sup>,  
(16') aryloxy,  
and  
(17') aryl,  
and

(2) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents independently

selected from

(a) -NR<sup>6</sup>R<sup>7</sup>

and

(b) -CO<sub>2</sub>R<sup>9</sup>;

R<sup>3</sup> is selected from

(1) hydrogen

(2) -(CH<sub>2</sub>)<sub>n</sub>C(O)R<sup>8</sup> where n is an integer from 0 to 4, and

R<sup>8</sup> is selected from

(a) -OR<sup>9</sup> where R<sup>9</sup> is selected from

(i) hydrogen,

(ii) alkyl,

and

(iii) alkyl substituted with 1 or 2 substituents selected from the group consisting of aryl

and

(b) -NR<sup>5</sup>R<sup>10</sup> where R<sup>5</sup> is defined previously, and R<sup>10</sup> is selected from

(i) hydrogen,

(ii) alkyl,

(iii) alkyl substituted with 1, 2, or 3 substituents independently

selected from

(1') -CO<sub>2</sub>R<sup>9</sup>

and

(2') -C(O)NR<sup>6</sup>R<sup>7</sup>

(iv) aryl, and

(v) arylalkyl,

where (iv) and (v) can be optionally substituted with 1, 2, 3, 4, or 5 substituents

independently selected from

(1') alkyl,

(2') alkanoyl,

(3') -OR<sup>9</sup>,

(4') -CO<sub>2</sub>R<sup>9</sup>,

(5') alkanoyloxy,

(6') carboxaldehyde,

(7') cycloalkyl,

(8') cycloalkenyl,

(9') halo,

(10') nitro,

(11') perfluoroalkyl,

(12') perfluoroalkoxy,

(13') -NR<sup>6</sup>R<sup>7</sup>,

(14') -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,

(15') -C(O)NR<sup>6</sup>R<sup>7</sup>,

(16') aryloxy,

and

(17') aryl, and

(3) aryl, wherein the aryl is optionally substituted with 1, 2, or 3 substituents

independently selected from

(a) -NR<sup>6</sup>R<sup>7</sup>

and

(b) -CO<sub>2</sub>R<sup>9</sup>;

and W is selected from

(a) alkyl,

(b) alkanoyl,  
(c) -OR<sup>9</sup>,  
(d) -CO<sub>2</sub>R<sup>9</sup>,  
(e) alkanoyloxy,  
(f) carboxaldehyde,  
(g) cycloalkyl,  
(h) cycloalkenyl,  
(i) halo,  
(j) nitro,  
(k) perfluoroalkyl,  
(l) perfluoroalkoxy,  
(m) -NR<sup>6</sup>R<sup>7</sup>,  
(n) -SO<sub>2</sub>NR<sup>6</sup>R<sup>7</sup>,  
(o) -C(O)NR<sup>6</sup>R<sup>7</sup>,  
(p) aryloxy,  
and  
(q) aryl.

10 (Original). A compound according to claim 9 selected from

(R)-methyl 4-[[6-amino-2-[[1,1-dimethylethoxy)carbonyl]amino]-1-oxohexyl]amino]-2-(2-hydroxyphenyl)benzoate,

methyl 5-(((2S)-6-amino-2-((*tert*-butoxycarbonyl)amino)hexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-carboxylate, and

(3S)-3-(((5-(((2S)-2-(acetylamino)-6-aminohexanoyl)amino)-4'-hydroxy(1,1'-biphenyl)-2-yl)carbonyl)amino)-4-amino-4-oxobutanoic acid.

11 (Canceled).

12 (Canceled).

13 (Canceled).

14 (Canceled).

15 (Canceled).

16 (Canceled).

17 (Canceled).